


# Certificate of Analysis

KLOW 50 mg/10 mg/10 mg/10 mg

Report To:  
**Optiva Wellness**

Compound: KLOW  
Quantity: 50 mg/10 mg/10 mg/10 mg  
Laboratory ID: V260421-7 007  
Lot Number: Blue Cap  
Date Reported: 5/4/2026



Analysis	Method	Result
Chromatographic Purity	HPLC-UV/VIS	>99.50% ± 0.18%
Quantity: GHK-Cu	HPLC-UV/VIS	49.73 mg
Quantity: BPC-157	HPLC-UV/VIS	11.44 mg
Quantity: TB-500	HPLC-UV/VIS	11.88 mg
Quantity: KPV	HPLC-UV/VIS	12.04 mg




Report By: Dustin Newman, Laboratory Director on 5/4/2026



Approved By: Tori Johnson, Operations Manager on 5/4/2026



Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.